

UNITED STATES OF AMERICA  
DEPARTMENT OF TRANSPORTATION  
FEDERAL AVIATION ADMINISTRATION

# Air Agency Certificate

*Number* JG7R076J

*This certificate is issued to*

**Duncan Aviation, Inc.  
d/b/a Duncan Avionics**

*whose business address is*

**7023 Perimeter Road South, Suite 110  
Seattle, Washington 98108**

*upon finding that its organization complies in all respects  
with the requirements of the Federal Aviation Regulations  
relating to the establishment of an Air Agency, and is  
empowered to operate an approved* **Satellite Repair Station**

*with the following ratings:*

**Radio**

**Limited Accessory**

**Limited Airframe (03/16/2006)**

**Limited Instrument (10/06/2016)**

*This certificate, unless canceled, suspended, or revoked,  
shall continue in effect indefinitely.*

*Date issued:*

**March 26, 1993**

*By direction of the Administrator*



**Lana M. Boler  
Manager, ANM-FSDO-01**

**This Certificate is not Transferable, AND ANY MAJOR CHANGE IN THE BASIC FACILITIES, OR IN THE LOCATION THEREOF,  
SHALL BE IMMEDIATELY REPORTED TO THE APPROPRIATE REGIONAL OFFICE OF THE FEDERAL AVIATION ADMINISTRATION**

*Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both*

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	02/11/2016	04/29/2016	9
002 Definitions and Abbreviations	02/11/2016	04/29/2016	6
003 Ratings and Limitations	01/30/2004	10/06/2016	8
004 Summary of Special Authorizations and Limitations	09/23/1998	04/29/2016	7
007 Designated Persons	12/19/2006	08/02/2007	7
025 Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media	11/16/2004	07/27/2010	2
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	04/29/2016	7

**A001 . Issuance and Applicability**

**HQ Control: 02/11/2016**

**HQ Revision: 05e**

a. These operations specifications are issued to Duncan Aviation, Inc., a Repair Station located in the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location:  
7023 Perimeter Road South  
Suite 110  
Seattle, Washington  
98108

b. The holder of these operations specifications is the holder of certificate number JG7R076J and shall hereafter be referred to as the "certificate holder".

c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the certificate for a repair station that is located in the United States is surrendered, suspended, or revoked.

d. U.S./EU Aviation Safety Agreement Repair Station/Maintenance Organization Approvals not authorized.

e. The certificate holder is authorized to conduct the operations described in subparagraph a under the following other business names:

Duncan Avionics  
Delegated authorities: None

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Kevin McKee, Principal Avionics Inspector (NM01)  
[1] EFFECTIVE DATE: 4/29/2016, [2] AMENDMENT #: 9  
DATE: 2016.04.29 12:56:21 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Jeffrey L King, Chief Inspector, Components/Satellites  
DATE: 2016.04.30 09:15:14 -05:00

---

**A002 . Definitions and Abbreviations**

**HQ Control: 01/12/2012**

**HQ Revision: 05b**

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

**BASA**

The Bilateral Aviation Safety Agreement (BASA) is an executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.

**Certificate Holder**

In these operations specifications, the term "certificate holder" means the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.

**CFR**

Code of Federal Regulations

**Class rating**

As used with respect to the certification, ratings, privileges, and limitation of aircraft within a category having similar operating characteristics.

**EASA**

European Aviation Safety Agency

**EASA Accountable  
Manager**

The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full-member Authority.

**Exemption**

An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of 14 CFR Part 11.

**FAA Accountable  
Manager**

A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

**Geographic  
Authorization**

An approval provided to a repair station located outside the United States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S.- registered aircraft under 14 CFR Part 129) at a location other than the repair station facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not

---

	warrant permanently staffing and equipping the station for its accomplishment.
<b>Limited Rating</b>	A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
<b>Limited Ratings - Specialized Services</b>	Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.
<b>Line Maintenance</b>	Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
<b>MAG</b>	The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the Agreement, Annex 2, Maintenance.
<b>Maintenance</b>	The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.
<b>U.S./EC Aviation Safety Agreement, Annex 2, Maintenance</b>	Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.
<b>MIP</b>	Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance.
<b>MOE</b>	A maintenance organization exposition (MOE) pertains to EASA member countries that use an MOE in place of a Repair Station Manual (RSM) and a Quality Control Manual (QCM).
<b>Preventive Maintenance</b>	As defined in 14 CFR part 1 and part 43 appendix A, subparagraph (c).
<b>QCM</b>	Quality Control Manual
<b>Repair Station located in the United States</b>	A certificated repair station located in the United States.
<b>Repair Station located outside the United States</b>	A certificated repair station located outside of the United States.
<b>RSM</b>	Repair Station Manual



**A003 . Ratings and Limitations**

**HQ Control: 01/30/2004**

**HQ Revision: 010**

The Certificate Holder is authorized the following Ratings and/or Limitations:

**Class Ratings**

Radio Class 1: Communications Equipment

Radio Class 2: Navigational Equipment

Radio Class 3: Radar Equipment

**Limited Ratings**

<b><u>Rating</u></b>	<b><u>Manufacturer</u></b>	<b><u>Make/Model</u></b>	<b><u>Limitations</u></b>
Airframe	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	<p>Limited to diagnosis, calibration, adjustments, removal, replacement and installation of radios, instruments and instrument systems, including instrument panels, radio antennas and wiring as defined in Title 14 CFR 145.59(d) and (e).</p> <p>--- NOTE: This excludes any adjustments of instruments not specified in the aircraft manufacturer's maintenance instructions or other instructions for continued airworthiness.</p> <p>Diagnosis, removal and replacement of cabin entertainment, cabin lighting, and cabin convenience items.</p> <p>Perform RVSM inspections and RVSM systems certification. The work must be performed in accordance with an FAA approved RVSM maintenance program or any FAA approved RVSM maintenance program contained in any Title 14 CFR 91.409 (f) inspection program.</p> <p>Altimeter system(s) and altitude reporting equipment tests and inspections required by Title 14 CFR 91.411.</p> <p>--- Non-RVSM certificated aircraft: The tests and inspections shall be performed using 14 CFR 43, Appendix E, or the manufacturer's current maintenance instructions.</p> <p>--- RVSM certificated aircraft: FAA approved RVSM maintenance program is required.</p>



<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
Airframe	All (12,500 lbs MGTOW or less per TCDS)	All	<p>Airframe Maintenance and Preventive Maintenance excluding:</p> <ul style="list-style-type: none"><li>--- Complete inspections to airframe, powerplants and propellers.</li><li>--- Removal, disassembly and installation of powerplants, propellers, primary flight controls &amp; landing gear components and associated actuators.</li></ul> <p>Limited to aircraft that weigh 12,500 lbs maximum gross take-off weight (MGTOW) or less per the Type Certificate Data Sheet. Limited to the following:</p> <p>Diagnosis, calibration, adjustments, removal, replacement and installation of radios, instruments and instrument systems, including instrument panels, radio antennas and wiring as defined in Title 14 CFR 145.59 (d) and (e).</p> <p>--- NOTE: This excludes any adjustments of instruments not specified in the aircraft manufacturer's maintenance instructions or other instructions for continued airworthiness.</p> <p>Diagnosis, removal and replacement of cabin entertainment, cabin lighting, and cabin convenience items.</p> <p>Perform RVSM inspections and RVSM systems certification. The work must be performed in accordance with an FAA approved RVSM maintenance program or any FAA approved RVSM maintenance program contained in any Title 14 CFR 91.409 (f) inspection program.</p> <p>Altimeter system(s) and altitude reporting equipment tests and inspections required by Title 14 CFR 91.411.</p> <p>--- Non-RVSM certificated aircraft: The tests and inspections shall be performed using 14 CFR 43, Appendix E, or the manufacturer's current maintenance instructions.</p> <p>--- RVSM certificated aircraft: FAA approved RVSM maintenance program is required.</p> <p>Airframe Maintenance and Preventive</p>

<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	<u>Limitations</u>
			Maintenance excluding: --- Complete inspections to airframe, powerplants and propellers. --- Removal, disassembly and installation of powerplants, propellers, primary flight controls & landing gear components and associated actuators.
Accessories - Electrical	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to removal, replacement, repair, servicing and testing.
Instrument	Aerosonic, United Kollsman/IDC Honeywell, Collins, Bendix/King, Smith Industries, Thales, Jaeger, Thompson Sextant	Altimeters	Instrument maintenance, alteration and preventive maintenance limited to externally accessible components not requiring instrument disassembly.

**Limited Ratings - Specialized Services**

<u>Rating</u>	<u>Specifications</u>	<u>Limitations</u>
None Authorized.		

1. Issued by the Federal Aviation Administration.
2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Kevin McKee, Principal Avionics Inspector (NM01)  
[1] SUPPORT INFO: Add limited instrument rating  
[2] EFFECTIVE DATE: 10/6/2016, [3] AMENDMENT #: 8  
DATE: 2016.10.06 13:41:34 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Jeffrey L King, Chief Inspector, Components/Satellites  
[1] SUPPORT INFO: Added Limited Instrument Rating  
DATE: 2016.10.06 07:19:48 -05:00

---

A004. Summary of Special Authorizations and Limitations

HQ Control: 9/23/1998  
HQ Revision: 010


a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

	<u>Reference Paragraphs</u>
Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100

b. The certificate holder is *not authorized* and *shall not*:

Use Exemptions.	A005
Perform maintenance with NAA ratings where the scope of work is authorized by a BASA/MIP.	A060
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

1. The Certificate Holder applies for the Operations in this paragraph.
2. Support information reference: Air Agency's letter dated November 30, 2007.
3. These Operations Specifications are approved by direction of the Administrator.

  
Becherer, Larry G.


Principal Maintenance Inspector

CE09

4. Date Approval is effective; 2/6/08

Amendment Number: 6

5. I hereby accept and receive the Operations Specifications in this paragraph.

  
Mertens, Michael R.

Manager of Regulatory Compliance

Date: 2/6/08

A007. Designated Persons

HQ Control: 12/19/06  
HQ Revision: 030

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Table 1 – Designated Persons to Apply for and Receive Authorizations


Title	Name	Parts Authorized
FAA Accountable Manager, 145	Nelson, Matthew Q.	A,D
Manager of Regulatory Compliance	Mertens, Michael R.	A,D
Chief Inspector, Components/Satellites	King, Jeffrey L.	A,D

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 – Designated to Receive INFO Messages

Name	Email Address	Telephone No.	Type of Information to Receive
Mertens, Michael R.	mike.mertens@duncanaviation.com	(402) 475-26111	ALL
King, Jeffrey L.	jeff_king@duncanaviation.com	(402) 475-2611	ALL

1. The Certificate Holder applies for the Operations in this paragraph.
2. Support information reference: Air Agency's letter dated July 30, 2007.
3. These Operations Specifications are approved by direction of the Administrator.

  
Crowley, Jerry M.

Principal Avionics Inspector

CE09

4. Date Approval is effective: 8/2/07

Amendment Number: 7

5. I hereby accept and receive the Operations Specifications in this paragraph.

  
King, Jeffrey L.

Chief Inspector, Components/Satellites

Date: 8/2/07



**A449 . Antidrug and Alcohol Misuse Prevention Program**

**HQ Control: 07/17/2009**

**HQ Revision: 00a**

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

**Table 1**

Location & Telephone of Antidrug and Alcohol Misuse Prevention Program Records:	
Telephone Number:	A3: JGVA194F
Address:	
Address:	
City:	
State:	
Zip code:	

**d. Limitations and Provisions.**

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
  - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
  - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has fewer than 50 safety-sensitive employees.

1. Issued by the Federal Aviation Administration .
2. Support information reference:
3. These Operations Specifications are approved by direction of the Administrator.



2010.07.27 12:40:23 Central Daylight Time  
Location: WcbOPSS  
Digitally signed by Marilyn P Beisner,  
Principal Avionics Inspector (CE09)

4. Date Approval is effective: 07/27/2010                      Amendment Number: 6
5. I hereby accept and receive the Operations Specifications in this paragraph.

Mertens, Michael R., Manager of Regulatory Compliance

*Michael R Mertens*

Date: 07/27/2010



Table of Contents

Part D

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
100 Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	07/27/2010	4

**D100 . Work to be Performed at a Place Other Than the Repair HQ Control: 11/16/2004**  
**Station Fixed Location(s) HQ Revision: 050**

- a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
All functions authorized in paragraph A003	Duncan Aviation, Inc. RSGOM, Repair Station Manual, Section 2	N/A

- b. The certificate holder may not perform continuous operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. Line Stations . Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.

