UNITED STATES OF AMERICA DEPARTMENT OF TRANSPORTATION FEDERAL AVIATION ADMINISTRATION

Air Agency Certificate

Number JGV9194F

This certificate is issued to

Duncan Aviation, Inc. DBA Duncan Avionics whose business address is

358 Wilmer Avenue, Hangar C Cincinnati, Ohio 45226

upon finding that its organization complies in all respects with the requirements of the Federal Aviation Regulations relating to the establishment of an Air Agency, and is empowered to operate an approved satellite repair station.

with the following ratings:

Limited Instrument (01/12/2017) Limited Airframe (03/27/2006) Limited Accessory (03/27/2002)

This certificate, unless canceled, suspended, or revoked,

shall continue in effect indefinitely.

Date issued:

January 19, 1990

By direction of the Administrator FOR

Ronald P. Myers Manager, CVG FSDO

This Certificate is not Cransferable, and any major change in the basic facilities, or in the location thereof, Shall be immediately reported to the appropriate regional office of the federal aviation administration

Any alteration of this certificate is punishable by a fine of not exceeding \$1,000, or imprisonment not exceeding 3 years, or both

FAA Form 8000-4 (1-67)

SUPERSEDES FAA FORM 390.

Electronic Forms (PDF)

Table of Contents

Part A

	HQ CONTROL DATE	EFFECTIVE DATE	AMENDMENT NUMBER
001 Issuance and Applicability	02/11/2016	04/07/2016	15
002 Definitions and Abbreviations	12/14/2017	11/17/2020	8
003 Ratings and Limitations	04/03/2017	11/17/2020	9
004 Summary of Special Authorizations and Limitations	09/23/1998	04/07/2016	4
007 Designated Persons	12/19/2006	08/02/2007	7
Electronic/Digital Recordkeeping System, Electronic/Digital Signature, and Electronic Media	04/03/2017	11/17/2020	4
449 Antidrug and Alcohol Misuse Prevention Program	07/17/2009	04/07/2016	5

A001 . Issuance and Applicability

HQ Control: 02/11/2016 HQ Revision: 05e

a. These operations specifications are issued to Duncan Aviation, Inc., a Repair Station located in the United States, pursuant to 14 CFR Part 145, § 145.53. The repair station certificate holder shall conduct operations in accordance with 14 CFR Part 145 and these operations specifications.

The certificate holder's address:

Fixed Location: 358 Wilmer Avenue, Hangar C Cincinnati, Ohio 45226

b. The holder of these operations specifications is the holder of certificate number JGV9194F and shall hereafter be referred to as the "certificate holder".

c. These operations specifications are issued as part of this repair station certificate and are in effect as of the date approval is effective. This certificate and these operations specifications shall remain in effect until the certificate for a repair station that is located in the United States is surrendered, suspended, or revoked.

d. U.S./EU Aviation Safety Agreement Repair Station/Maintenance Organization Approvals not authorized.

e. The certificate holder is authorized to conduct the operations described in subparagraph a under the following other business names:

Duncan Avionics Delegated authorities: None

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Timothy J Bench, Principal Avionics Inspector (GL05) [1] SUPPORT INFO: Amended as requested by the Lincoln FSDO. [2] EFFECTIVE DATE: 4/6/2016, [3] AMENDMENT #: 15 DATE: 2016.04.06 15:05:37 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Jeffrey L King, Chief Inspector, Components/Satellites DATE: 2016.04.07 06:43:44 -05:00

A002 . Definitions and Abbreviations

HQ Control: 12/14/2017 HQ Revision: 05d

Unless otherwise defined in these operations specifications, all words, phrases, definitions, and abbreviations have identical meanings to those used in 14 CFR and 49 U.S.C., as cited in Public Law 103-272, as amended. Additionally, the definitions listed below are applicable to operations conducted in accordance with these operations specifications.

BASA	The Bilateral Aviation Safety Agreement (BASA) is an executive agreement concluded between the United States and a foreign country for the purpose of promoting aviation safety; also known as an Agreement for the Promotion of Aviation Safety.
Certificate Holder	In these operations specifications, the term "certificate holder" means the holder of the repair station certificate described in these operations specifications in Part A paragraph A001 and any of its officers, employees, or agents used in the conduct of operations under this certificate.
CAAS	Civil Aviation Authority of Singapore
CFR	Code of Federal Regulations
Class Rating	As used with respect to the certification, ratings, privileges of airframes, powerplants, propellers, radios, instruments, and accessories within a category having similar operating characteristics.
EASA	European Aviation Safety Agency
EASA Accountable Manager	The manager who has corporate authority for ensuring that all maintenance required by the customer can be financed and carried out to the standard required by the EASA full-member Authority.
EU	European Union
Exemption	An authorization that permits an alternate means of compliance with a specific CFR. The exemption must meet the procedural requirements of 14 CFR Part 11.
FOCA	Federal Office of Civil Aviation
FAA Accountable Manager	A person designated by the certificated repair station who is responsible for and has authority over all repair station operations that are conducted under 14 CFR Part 145, including ensuring that the repair station's personnel follow the regulations and serving as the primary contact with the FAA.

U.S. Department of Transportation Federal Aviation Administration	Operations Specifications
Geographic Authorization	Authorization provided to a repair station located outside the United States to perform maintenance support under contract for a U.S. air carrier (or an operator of U.S registered aircraft under 14 CFR Part 129) at a location other than the repair station's main facility. A geographic authorization is issued by the FAA to respond to a U.S. air carrier's or Part 129 foreign operator's need for maintenance at a station where the frequency and scope of that maintenance does not warrant permanently staffing and equipping the station for its accomplishment.
Limited Rating	A rating issued to repair stations for the performance of maintenance on particular makes and models of airframes, powerplants, propellers, radios, instruments, accessories, and/or parts.
Limited Ratings - Specialized Services	Rating issued for a special maintenance function when the function is performed in accordance with a specification approved by the Administrator.
Line Maintenance	Any unscheduled maintenance resulting from unforeseen events, or scheduled checks where certain servicing and/or inspections do not require specialized training, equipment, or facilities.
MAG	The Maintenance Annex Guidance (MAG) defines the process that the FAA and EASA undertake in the inspection, findings of compliance certification, and monitoring of repair stations, as well as their joint cooperation in quality assurance and standardization activities in support of the EASA Agreement, Annex 2, Maintenance. The term Maintenance Agreement Guidance (MAG) defines the processes and activities applicable to a specific country under an MIP, and is not associated with the EASA Agreement.
Maintenance	The inspection, overhaul, repair, preservation, and replacement of parts, but excludes preventive maintenance.
U.S./EU Aviation Safety Agreement, Annex 2, Maintenance	Annex 2 covers the reciprocal acceptance of findings of compliance, approvals, documentation and technical assistance regarding approvals and the monitoring of repair stations/maintenance organizations.
МІР	Maintenance Implementation Procedures (MIP) are procedures for implementing the provisions of a BASA that apply to maintenance performed under 14 CFR Part 145, Section 145.53(b).
MOE	A maintenance organization exposition (MOE) pertains to procedural manuals used by maintenance organizations certificated by a foreign country. The MOE along with the FAA Supplement, sets forth the structure and procedures of the repair station to meet the requirements of 14 CFR Part 145 under a MIP.

U.S. Department of Transportation Federal Aviation Administration	Operations Specifications
Preventive Maintenance	As defined in 14 CFR part 1 and part 43 appendix A, subparagraph (c).
QCM	Quality Control Manual
Repair Station located in the United States	A FAA certificated repair station located in the United States.
Repair Station located outside the United States	A FAA certificated repair station located outside of the United States.
RSM	Repair Station Manual

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Richard A Jara, Principal Maintenance Inspector (GL05) [1] SUPPORT INFO: Template Change [2] EFFECTIVE DATE: 11/17/2020, [3] AMENDMENT #: 8 DATE: 2020.11.17 07:18:52 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Jeffrey L King, Chief Inspector, Components/Satellites DATE: 2020.11.17 07:32:29 -06:00

A004 . <u>Summary of Special Authorizations and Limitations</u> HQ Control: 09/23/1998 HQ Revision: 010

a. The certificate holder, in accordance with the reference paragraphs, is authorized to:

	Reference Paragraphs
Use an approved electronic recordkeeping system, electronic/digital signature, and/or electronic media.	A025
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Conduct operations choosing to have an antidrug and alcohol misuse prevention program.	A449
Perform work, excluding continuous operations, at additional locations other than at its primary Fixed Location.	D100

b. The certificate holder is *not authorized* and *shall not*:

	Reference Paragraphs
Use Exemptions.	A005
Perform maintenance with EASA ratings where the scope of work is authorized by a BASA/MAG (U.SEU), MIP/MaG (U.SSwiss).	A060
Perform work, including continuous operations, at additional locations other than at its primary fixed location.	A101
Perform maintenance in accordance with foreign repair station geographic authorizations.	B050
Perform line maintenance for cert. holders conducting operations under Parts 121 and 135 and for foreign carriers/persons operating U.S. registered aircraft in common carriage under Part 129, apart from D100 which authorizes that work away from station.	D107

A003 . Ratings and Limitations

HQ Control: 04/03/2017 HQ Revision: 01a

The certificate holder is authorized the following Ratings and/or Limitations:

Class Ratings

None authorized

Limited Ratings

Rating Airframe	Manufacturer From the accepted Capability List, as amended.	Make/Model From the accepted Capability List, as amended.	Limitations Limited to diagnosis, calibration, adjustments, removal, replacement and installation of radios, instruments and instrument systems, including instrument panels, radio antennas and wiring as
			defined in Title 14 CFR145.59(d) and (e). NOTE: This excludes any adjustments of radios not specified in the aircraft manufacturer's maintenance instructions or other instructions for continued airworthiness.
			Diagnosis, removal and replacement of cabin entertainment, cabin lighting, and cabin convenience items.
			Perform RVSM inspections and RVSM systems certification. The work must be performed in accordance with an FAA approved RVSM maintenance program or any FAA approved RVSM maintenance program contained in any Title 14 CFR 91.409(f) inspection program.
			Altimeter system(s) and altitude reporting equipment tests and inspections required by Title 14 CFR 91.411. Transponder equipment tests and inspections required by Title 14 CFR 91.413.
			Non-RVSM certificated aircraft: The tests and inspections shall be performed using 14 CFR 43, Appendix E and/or F, as applicable,

J.S. Depart of Transport Federal Avia Administrati	tation ation Opera	tions Specification	S
Rating	<u>Manufacturer</u>	<u>Make/Model</u>	Limitations or the manufacturer's current maintenance instructions. RVSM certificated aircraft: FAA
			approved RVSM maintenance program is required.
Airframe	All (12,500 lbs MGTOW or less per TCDS)	All	Limited to aircraft that weigh 12,500 lbs maximum gross take-off weight (MGTOW) or less per the Type Certificate Data Sheet Limited to the following:
			Diagnosis, calibration, adjustments, removal, replacement and installation of radios, instruments and instrument system including instrument panels, radio antenn and wiring as defined in Title 14 CFR145.5 (d) and (e).
			NOTE: This excludes any adjustments radios not specified in the aircraft manufacturer's maintenance instructions of other instructions for continued airworthiness.
			Diagnosis, removal and replacement of cabin entertainment, cabin lighting, and cabin convenience items.
			Perform RVSM inspections and RVSM systems certification. The work must be performed in accordance with an FAA approved RVSM maintenance program or any FAA approved RVSM maintenance program contained in any Title 14 CFR 91.409(f) inspection program.
			Altimeter system(s) and altitude reporting equipment tests and inspections required by Title 14 CFR 91.411. Transponder equipment tests and inspections required by Title 14 CFR 91.413.
			Non-RVSM certificated aircraft: The te and inspections shall be performed using CFR 43, Appendix E and/or F, as applicabl or the manufacturer's current maintenance instructions.
			RVSM certificated aircraft: FAA approved RVSM maintenance program is

of Transportat Federal Aviatio Administratior	on Onerat	tions Specifications	
<u>Rating</u>	<u>Manufacturer</u>	<u>Make/Model</u>	Limitations required.
Accessories - Electrical	From the accepted Capability List, as amended.	From the accepted Capability List, as amended.	Limited to removal, replacement, repair, servicing and testing.
Instruments	Aerosonic, United, Kollsman/IDC, Honeywell, Collins, Bendix/King, Smith Industries, Thales, Jaeger, Thompson Sextant	Altimeters	Instrument maintenance and preventive maintenance limited to externally accessible components not requiring instrument disassembly.

<u>Rating</u>	Specifications	<u>Limitations</u>
None Authorized.		

- 1. Issued by the Federal Aviation Administration.
- 2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Richard A Jara, Principal Maintenance Inspector (GL05) [1] SUPPORT INFO: Template change [2] EFFECTIVE DATE: 11/17/2020, [3] AMENDMENT #: 9 DATE: 2020.11.17 07:20:26 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Jeffrey L King, Chief Inspector, Components/Satellites DATE: 2020.11.17 07:33:48 -06:00

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Timothy J Bench, Principal Avionics Inspector (GL05) [1] SUPPORT INFO: Amended as requested by the Lincoln FSDO. [2] EFFECTIVE DATE: 4/6/2016, [3] AMENDMENT #: 4 DATE: 2016.04.06 15:05:38 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Jeffrey L King, Chief Inspector, Components/Satellites DATE: 2016.04.07 06:43:45 -05:00

A007. Designated Persons

 HQ Control:
 12/19/06

 HQ Revision:
 030

a. The personnel listed in the following table are designated to officially apply for and receive operations specifications for the certificate holder indicated below.

Title	Name	Parts Authorized	
FAA Accountable Manager, 145 /	Nelson, Matthew Q.	A,D	
Manager			
Manager of Regulatory Compliance	Mertens, Michael R.	A,D	
Chief Inspector,	King, Jeffrey L.	A,D	
Components/Satellites			

Table 1 – Designated Persons to Apply for and Receive Authorizations

b. The following personnel listed in Table 2 are designated by the certificate holder to receive Information for Operators (INFO) messages for the certificate holder as indicated below. A receipt for the information by an operator or person is not required.

Table 2 – Designated to Receive INFO Wessages				
Name	Email Address	Telephone No.	Type of Information to Receive	
Mertens, Michael R.	mike.mertens@duncanaviatio n.com	(402) 475-2611	ALL	
King, Jeffrey L.	jeff_king@duncanaviation.co m	(402) 475-2611	ALL	

Table 2 – Designated to Receive INFO Messages

1. The Certificate Holder applies for the Operations in this paragraph.

- 2. Support information reference: Air Agency's letter dated July 30, 2007.
- 3. These Operations Specifications are approved by direction of the Administrator.

Crowley, Jerry M.Principal Avionics InspectorCE094.Date Approval is effective:8/2/07Amendment Number:75.I hereby accept and receive the Operations Specifications in this paragraph.7

King, Jeffrey L.	Chief Inspector, Components/Satellites	Date: 8/2/07
iting, seriney L.	emer mspeetor, components, butenites	Dute. 0/2/0/

A025 . Electronic/Digital Recordkeeping System,
Electronic/Digital Signature, and Electronic MediaHQ Control: 04/03/2017
HO Revision: 00b

a. The certificate holder is authorized to use an acceptable electronic/digital recordkeeping system, described and/or referenced in this paragraph (if none, enter N/A.)

Electronic recordkeeping system as referenced in Duncan Aviation Repair Station General Operating Manual (RSGOM).

b. The certificate holder is authorized the use of the following electronic/digital signature procedures (if none, enter "N/A").

Electronic/Digital Signature System (ESO) procedures as outlined in the Duncan Aviation RSGOM.

c. The certificate holder is authorized to use electronic media for the repair station and quality control manuals, if acceptable (if none, enter "N/A").

An electronic copy of the RSGOM shall be posted within five working days as referenced in the Duncan Aviation RSGOM.

^{2.} These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Richard A Jara, Principal Maintenance Inspector (GL05) [1] SUPPORT INFO: Template Change [2] EFFECTIVE DATE: 11/17/2020, [3] AMENDMENT #: 4 DATE: 2020.11.17 07:21:53 -06:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Jeffrey L King, Chief Inspector, Components/Satellites DATE: 2020.11.17 07:34:36 -06:00

^{1.} Issued by the Federal Aviation Administration.

A449 . <u>Antidrug and Alcohol Misuse Prevention Program</u> HQ Control: 07/17/2009 HO Revision: 00a

- a. The Part 145 repair station certificate holder has elected to implement an Antidrug and Alcohol Misuse Prevention Program, because the certificate holder performs safety-sensitive functions for a 14 CFR Part 121, and 135 certificate holder and/or for a 14 CFR Part 91 operator conducting operations under Section 91.147.
- b. The certificate holder certifies that it will comply with the requirements of 14 CFR Part 120 and 49 CFR Part 40 for its Antidrug and Alcohol Misuse Prevention Program.
- c. Antidrug and Alcohol Misuse Prevention Program records are maintained and available for inspection by the FAA's Drug Abatement Compliance and Enforcement Inspectors at the location listed in Table 1 below:

	Location & Telephone of Antidrug and Alcohol Misuse Prevention Program Records:
Telephone Number:	A3 (JGVA)
Address:	
Address:	
City:	
State:	
Zip code:	

Table	1
-------	---

d. Limitations and Provisions.

- (1) Antidrug and Alcohol Misuse Prevention Program inspections and enforcement activity will be conducted by the Drug Abatement Division. Questions regarding these programs should be directed to the Drug Abatement Division.
- (2) The certificate holder is responsible for updating this operations specification when any of the following changes occur:
 - (a) Location or phone number where the Antidrug and Alcohol Misuse Prevention Program Records are kept.
 - (b) If the certificate holder's number of safety-sensitive employees goes to 50 and above, or falls below 50 safety-sensitive employees.
- (3) The certificate holder with 50 or more employees performing a safety-sensitive function on January 1 of the calendar year must submit an annual report to the Drug Abatement Division of the FAA.
- (4) The certificate holder with fewer than 50 employees performing a safety-sensitive function on January 1 of any calendar year must submit an annual report upon request of the Administrator, as specified in the regulations.

The certificate holder has fewer than 50 safety-sensitive employees.

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Timothy J Bench, Principal Avionics Inspector (GL05) [1] SUPPORT INFO: Amended as requested by the Lincoln FSDO. [2] EFFECTIVE DATE: 4/6/2016, [3] AMENDMENT #: 5 DATE: 2016.04.06 15:05:38 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Jeffrey L King, Chief Inspector, Components/Satellites DATE: 2016.04.07 06:43:45 -05:00

Table of Contents

Part D

	HQ CONTROL	EFFECTIVE	AMENDMENT
	DATE	DATE	NUMBER
Work to be Performed at a Place Other Than the Repair Station Fixed Location(s)	11/16/2004	04/07/2016	6

D100 . Work to be Performed at a Place Other Than the RepairHQ Control:11/16/2004Station Fixed Location(s)HQ Revision:050

a. The certificate holder may perform work at a place other than its Fixed Location (as listed in paragraph A001, and paragraph A101 if issued, of these operations specifications) provided it has the facilities, material, equipment and technical personnel to perform the work authorized in the following table.

Table 1

Work Authorized	Repair Stations Manual References	Quality Control Manual References
authorized in	Duncan Aviation, Inc. Repair Station General Operating Manual (RSGOM), Section: Repair Station Manual, Chapter: Work Performed Away From Station	see Duncan Aviation, Inc. RSGOM

- b. The certificate holder <u>may not</u> perform <u>continuous</u> operation at a facility other than the station's Fixed Location listed in paragraph A001, and paragraph A101 if issued.
- c. <u>Line Stations</u>. Privileges of a line station, as set forth by the EASA certificate and scope of work and located within the country where the main facility is domiciled are listed in Table 1 are authorized.
- d. Work may be due to a special circumstance or on a recurring basis. If on a recurring basis, the repair station must have procedures in its manual.

Operations Specifications

1. Issued by the Federal Aviation Administration.

2. These Operations Specifications are approved by direction of the Administrator.



Digitally signed by Timothy J Bench, Principal Avionics Inspector (GL05) [1] SUPPORT INFO: Amended as requested by the Lincoln FSDO. [2] EFFECTIVE DATE: 4/6/2016, [3] AMENDMENT #: 6 DATE: 2016.04.06 15:05:39 -05:00

3. I hereby accept and receive the Operations Specifications in this paragraph.

Digitally signed by Jeffrey L King, Chief Inspector, Components/Satellites DATE: 2016.04.07 06:43:45 -05:00